

ATT Quinlan
Here are some info
on wrapper go
to website for Pic

QUOTE NO. D9028

WINNIPEG FORREST PRODUCTS - WINNIPEG, MB

System Quotation

001 Phoenix PHP 2100 High Profile Semi Automatic

QTY: 1



Our claim is simple...

PHOENIX stretch wrap equipment is loaded with more features, more flexibility, and more capacity than any competitive machine!

The *Phoenix* stretch wrap product line is based on one simple concept. Design a durable dependable machine that will, day in and day out, tackle all your tough applications, while providing the maximum in customer flexibility in case your requirements change. Features, Durability, and Flexibility is maximized to ensure that your stretch packaging equipment is ready for most any requirement your marketing or your customers throw at you.

Although simple, this design premise is not easily achieved but we created a powered prestretch semi-automatic stretch wrapper line designed to meet almost any stretch wrapping application. Fully loaded with sophisticated and comprehensive control features typically found on more expensive models or simply not available in competitive models.

Capacity.

Production Rate:	up to 30-40 loads per hour
Turntable Capacity:	48" x 48" Octagonal table x 4,000 lbs.
Std. Maximum Load Size:	56" w x 56" (80" load diagonal)
Std. Maximum Wrap Height	80"
Variable Turntable Speed	15 RPM
Powered Pre-Stretch	245%

Electrical Requirements.

- 120vac, 1 phase, 60 hz, 15 amps dedicated line

Standard Machine Specifications

CAPACITIES	PRODUCTION Up to 45 pallets per hr., based on load configuration and machine options.
LOAD WEIGHT	4,000 lbs max.
MACHINE DIMENSIONS	96" L x 48" W x 92" H
LOAD SIZE (max.)	56" W x 56" L x 80 " H.
ELECTRICAL REQUIREMENTS	120V / 1PH / 60HZ / 15A
APPROXIMATE SHIPPING WEIGHT	1,200 lbs.
CONTROLS	<ul style="list-style-type: none">• PLC Control• 24vdc control system• Current overload protection• Nema rated Control panel• "Autoheight" sensing photoeye• Power on/off switch illuminated• Start/stop push button• Large emergency stop (push pull type)• Manual jog control up/down film carriage• Manual jog control rotates table• Variable table speed (15 RPM)• Independent up & down carriage speed adjustments• Separate top and bottom wrap selectors (1-8)• Reinforced wrap selector• Cycle pause switch• Spiral up or spiral up/down wrap cycles• Film force to load control (tension)
FILM DELIVERY SYSTEM	<ul style="list-style-type: none">• Easy-Loading 20" Film Powered Pre-Stretch Carriage• 1/2 HP 230 VAC motor with variable frequency drive control• Up to 300% pre-stretch ratio (preset to customer spec.) *Std set for 245%• Electronic film tension control with analog sensor• Lexan roller cover on access door for operator safety• Added operator safety with Auto-shut-off of carriage power for film loading• Film force control electrically adjustable• Side-mounted carriage for optimal film delivery and more pallet clearance

WINNIPEG FOREST PRODUCTS INC.
640 PLESSIS ROAD
WINNIPEG, MB R2C 2Z4

WINNIPEG FOREST PRODUCTS INC.
640 PLESSIS ROAD
WINNIPEG, MB R2C 2Z4

Business No.: 139657092

P.O. Number :

Item No.	Quantity	B/O	Unit	Description	Price	Amount
	1	0	Each	PHP2100 High Profile Semi-Auto Stretch Wrapper Per Phoenix Quote #D90Z8 Deposit Invoice # 6703 dated 5/13/2009	6,895.00	6,895.00
	-1	0	Each	THIS INVOICE IS DUE AT TIME OF SHIPMENT PER THE TERMS OF OUR AGREEMENT.	4,423.00	-4,423.00
FREIGHT	1	0	Each	Prepaid Shipping & Handling	677.40	677.40
	1	0		NOTE: Freight credit applied as per conversation with Tom Fox	-200.00	-200.00
<p><i>When is shipment?</i></p> <p><i>11/15/00</i></p> <p><i>13/11/00</i></p> <p><i>Warehouse</i></p> <p><i>Equipment</i></p> <p><i>Am</i></p> <p><i>- No Tax</i> <i>G - GST 5%</i> <i>GST</i></p>						
Comments					368.62	
Sold By: ROSENBERG, CRAIG					Freight	0.00
Total Amount						3,318.02

WFSJ40X
check back for manual

QUOTE NO. D9028

WINNIPEG FORREST PRODUCTS - WINNIPEG, MB

Drawings

Phoenix PHP 2100 High Profile Layout Drawing

